References

[1] J.-B. Bost, H. Gillet, C. Soulé: Heights of projective varieties and positive Green forms, *Manuscrit IHES*, (1993).

[2] M. Giusti, J. Heintz, J.E. Morais, J. Morgenstern, L.M. Pardo: Straight–line programs in Geometric Elimination Theory, to appear in *Journal of Pure and Applied Algebra*

[3] M. Giusti, J. Heintz, J.E. Morais, L.M. Pardo: When polynomial equation systems can be "solved" fast? in *Proc. 11th International Symposium Applied Algebra, Algebraic Algorithms and Error–Correcting Codes, AAECC–11*, Paris 1995, G. Cohen, M.Giusti and T. Mora, eds., Springer LNCS **948** (1995) 205–231.

[4] Yu. V. Nesterenko: Estimates for the order of zero o functions of a certain class and applications in the theory of transcendental numbers *Math. USSR Izvestija*, vol.**11**, No. 2 (1977) 239–270.

[5] Yu. V. Nesterenko: On a measure of the algebraic independence of the values of certain functions, *Math. USSR Sbornik* **56** (1987) 545– 567.

[6] L.M. Pardo: How lower and upper complexity bounds meet in elimination theory, in *Proc. 11th International Symposium Applied Algebra, Algebraic Algorithms and Error–Correcting Codes, AAECC–11*, Paris 1995, G. Cohen, M.Giusti and T. Mora, eds., Springer LNCS **948** (1995) 33–69.

[7] P. Philippon: Critères pour l'indépendence algébrique, *Pub. Math. de l'IHFS* **64** (1986) 5–52.

[8] P. Philippon: Sur des hauteurs alternatives, I, *Math. Ann.* **289** (1991) 255–283.

[9] P. Philippon: Sur des hauteurs alternatives, II, *Ann. Inst. Fourier, Grenoble*, vol. **44** No. 2 (1994) 1043–1065.

[10] P. Philippon: Sur des hauteurs alternatives, III, to appear in *J. Math. Pures Appl.*